# A Survey and Experimental Evaluation of Proximity Sensors for Space Robotics

### Richard Volpe

Jet Propulsion Laboratory California Institute of Technology Pasadena, California 91109

#### Abstract

This paper provides an overview of our selection process for proximity sensors for manipulator collision avoidance. Five categories of sensors have been considered for this use in space operations: intensity of reflection, triangulation, time of flight, capacitive, and inductive. From these categories, the most promising commercial and mature laboratory prototype sensors have been selected and tested. After reviewing the selection process and the experimental results, conclusions are drawn about which sensors are best and why.

### 1 Introduction

The safety of flight hardware in the workspace of arobot mani pulator can only be guaranteed through robust collision avoidance control that treats the spacecraft hardware as obstacles, around which to navigate. Previous research addressing this problem has be broadly divided into two classes of methods: global and local. Global methods rely on the description of the obstacles in the configuration space of a manipulator [6]. Local methods rely 011 the description of the obstacles and the manipulator in the Cartesian workspace [4, 1].

Local methods employ the use of artificial forces, expressed in the Cartesian workspace of the manipulator as a function of the shortest distance between the manipulator and the obst arks [4, 1, 9]. Collisions are prevented by making these forces repulsive. If a goal point is specified, it will impart a similar attractive force on the robot end effector. Actuator torques equivalent to the sum of these specified forces cause the motion of the real manipulator.

The maia advantage of local techniques is that they are less computationally demanding than global ones, permitting their use in real-tiltle control [4]. Further, they provide the necessary framework to deal with changing environments and real-tilne collision avoidance. When used with a teleoperated manipulator, local artificial forces also provide low level collision avoidance, while high-level path planning of the manipulator is performed by the human operator.

A large problem with using artificial forces is the need to determine the distance between the robot and its environment. If this is to be calculated, an accurate geometric model of the armand the environment unust exist a priori or be created from sensor information, such as computer vision.

But even if a very accurate model exists, it is computationally expensive to calculate the three dimensional distances between the modelled arm and its environment.

The alternative is to use sensors to directly measure the dist ances between the robot and its environment. If perfect measurements can be made from each point 011 the robot's surface, along the normal to the surface, then unexpected contact with the environment can be eliminated. Obviously, there are no perfect sensors, and no way to provide complete coverage of the robot. The key issues then become, the quality of the sensor data and coverage that the limited set of these sensors may provide.

This report address the first of these issues, the quality of proximity sensor data. We have investigated the available proximity sensing technologies, all of which utilize five physical principles of operation: intensity of reflection, triangulation, time of flight, capacitance, and inductance. From these categories we have selected and performed initial experimental evaluation of the most promising commercial products available. We have also obtained and tested mature laboratory prototype sensors from two of these categories. These initial tests were performed on black, white, and aluminum surfaces. (In preparation for more extensive testing we have also selected and prepared a spectrum of spacecraft surf-rface material samples.)

This report is organized as follows. Section 2 provides an overview of commercial and mature laboratory prototype sensors that utilize the five physical principles to detect distance to the environment. A discussion provides the reasoning behind selection of particular sensor models for experimental testing. Section 3 presents the results of the experimental testing of these selected sensors. Finally, Section 4 reviews our results and draws conclusions about individual sensor efficacy.

### 2 Sensor Selection

To avoid the time and cost of sensor development, this study has been interested in acquiring and testing commercial or mature laboratory technology only. In some cases, the sensors were modified slightly to increase their performance, adjust their range, or make them more amenable to direct comparison with other sensors.

T'ype Company	Model (laser type)	range (cm)									13
Laser Triangulation		,)	1 1	I 1	l	1 1	1	1	1 1	1	1 2
Keyance	1,11-041 IIIa	(4,5.5.5)	i I								
Neyance			i I								
	LB-081 IIIa	(6.5-9.5)	i I								
	1.B-301 IIIb	(20-40)	i I								
	LB-11 IIIb	(6-14)	i I								
	LB-12 IIIb	(3-5)	i I								
	1 .C-2320 H	(4.2-5.8)	i I								
	I .C-2220 II	(2.7-3.3)	i I								
Cyber Optics	RRS-1600	(S.3-6.9)	i I								
Adsens Tech	I. AS-S010		i I								
Ausens reen		(4.5 -s.5)	i I								
	LAS-8010	(6-14)	i I								
Selcom	2201 ]Hb	(7.9-11.1)	i I								
	2203 IIIb	(13-22)	i I								
Aromat	LA40 I	(3-5)	1								
	1.A75	(5. ]0)	1								
	S]() IIIb	(1 () 20)	1								
			1								
	ANL1651 IIIb	(8-18)	1								
ldee	MXIA/B-A	(3-5)	1								
	MX1A/B-B	(5-13)	i I								
	MX1C IIIb	(6- 16)	i I								
	W1815 1110	(0 10)	<b>i</b> I								
Photo-Electric Tri	angulation		1 1								
	•	(0.45)	1 1								
SunX	DSA series	(8-12)	i I								
Idee	SA1D-LK4	(20s0)	<b>i</b> I								
		•	1 1								
OpticalReflection	Intensity		1 1								
1 aton	E67LXL2N	(10( 940)	1								
	130/1.41.21	(10(-340)	i I								
		(40-160)	1								
		(30-70)	i I								
	E67LXL2W	(60- 300)	1								
		(3()-150)	1								
			1								
0	301001111010	(30-110)	i I								
SunX	R\$12011F4\$A\$	(2-9)	1								
	RS120HFISAS	(10-70)	1								
	RS720H1SAS	(60- 300)	1								
	J/S120HF8SAS		i I								
		(8-17)	i I								
	RS120HF2SAS	(5-40)	1								
	RS820111SAS	(50-1 so)	1								
Banner	OASBD	(23-92)	1								
Tritronics	SA1.01	( -130)	i I						4		
	SAO I	( -loo)	1						4		
			1				•				
	SA1 .02	( -14)	1								
An (1	SA02	( -12)	i I								
<b>ST</b> '1	307	(45-6(K))	i I								
	304	(4s-300)	i I								
	306	(()-7.6)	i I								
	303		i I								
		(()-30)	1 1								
99 O C	1.303	(0-60)	1 1								
iber Optic			1 1								
Banner	OASBEX	(3-1s)	i I								
	OASBF	(1-7.s)	i I								
		(2)	1 1								
Optical Time of Fli	olit		1 1								
		(4.0.000)	1 1								
Sick	DME-2000 H	(1 0-200)	1 1								
			1 1								
Microwave Time of	í Flight		i I								
AM Sensors	MSM1 os00	(1s-1500)	i I								
		(15 1000)	1 1								
nductive			1 1								
	4.104	(0. • 0)	i I								
Eaton	1 56	(0-10)	i I								
Pepperl4 Fuchs	NJ50	(-5)	i I								
	IA	(-3)	i I								
	DJ		i I								
Mantennatio	173	( -4)	1 1								
Electromatic											
Electromatic Radio Shack	Micronta	( -20)	1								
Radio Shack	Micronta	( -20)									
	Micronta	( -20)									

Figure 1: A table of many of the commercially avai/a ble Sensors considered in this study. The right hand side of the chart graphically shows the advertized sensor range in centimeters.

	Selected Proximity Ser	nsors	
type	model	range/em	cost/\$
Reflection	SunXRS120H1SAS	5-70	160
	SunX 1{S1201114'1 SAS	5-70	160
	SunXI{ S120HF2SAS	5-40	170
	SunX1{S720111SAS	30-300"	250
	SunX RS820H1SAS	50-150	140
Laser Triang.	Aromat LA75	5-10	1300
P-16 Triang.	ldec/lzumiSA1D-LL4	20-50	225
Optical 'lb],'	Sick DME2000	10-200	3900
μwave ToF	AMSensorsMSM10500	15-1500	500
Inductive	Micronta Metal Det.	o-20	170
Capacitive	Capacitec 410 SCBNC	(1-15	1900

Figure 2: The selected commercial proximity sensors and their costs.

#### 2.1 Commercial Sensors

By far, the majority of the sensors considered and tested in this study are commercially available products. Figure 1 provides a list of most of the sensors that were investigated. (Acoustic sensors were not considered because they will not function in the vacuum of space.) The chart is divided horizontally into the sensing technologies, and vertically by company name, model number, laser type, and range in centimeters. The laser types are: (1) eye safe, (11), eye safe but do not stare into the beam, (1 lla) not eye safe but visible, and (11 lb) not eye safe and invisible. The sensor range is also displayed graphically for easy comparison. An arrow 011 the range indicates an unk nown bound, or a bound that does not fit on the chart.

Figure 2 provides a summary of the sensors that were selected, purchased, and experimentally tested. A discussion of this selection process is provided below.

#### 2.1.1 Intensity of lkflcc.tie])

Optical intensity of reflection sensors are probably the most widely available in the number of manufacturers, the number of models, and the ranges of operation. (However, there is some repetition, such as the Eaton E671 XL2W, which is the same sensor as the Sun XRS720111SAS.) Many of these sensors have adjustable ranges, which are set by turning a potentiometer on the sensor housing. Therefore, the ranges listed for some sensors may not be attainable by one sensor setting. Also, some sensors (sue], as those by Tritronics) did not have a minimum value specified by the company. Finally, there are versions of these sensors which have fiber optic light guides which carry the emitted and received light to and from a location up to several meters away. While this technique effectively collocates and shrinks the emitter and receiver, it suffers from fiber transmission losses and a corresponding reduction in sensing range.

To fully test the range of intensity of reflection sensors, a spectrum of five models from SunX were selected (all of those listed except 1{S1 20111"4, since it is designed for short range operation). All of these sensors were comparable in price to each other and other sensors not selected. During

tests with these models, their potentiometers were set to maximize the span of distances that provide usable sensor output.

#### 2.1.2 Triangulation

Triangulation sensors typically project a narrow beam of light and measure the location of the reflected light when viewed from an angle. While this technique gives accurate readings independent of signal strength, Figure 1 indicates the problems with those sensors which are commercially available. The majority have a very limited range, and increase their range by employing more powerful lasers which are not eye safe. We consider eye safety an important issue for robot proximity sensing system that will be used near ground crews and astronauts, and potentially reflective spacecraft surface materials. Therefore, the Aromat LA75 laser triangulation sensor was chosen because it has the most range of Class I models.

Alternatively, there is a smaller set of photo-electric triangulation sensors available. 1 hese have less resolution, but nucle greater range and eye safety. Further, they are significantly cheaper than the laser sensors. The Idec/Izumi SAID-LK4 was selected.

#### 2.1.3 Time of Flight

We are only aware of two commercial time of flight sensors available at reasonable cost. The first is a laser time of flight sensor, the Sick DME2000. At approximately \$4000 and weighing 1 kilogram per sensor, we considered it to be at the limit of acceptability for a robot proximity sensing system. However, it "was selected since its accuracy/range combination is the best amongst all sensors available.

The second time of flight sensor is the AM Sensors MSM1 0500 microwave sensor. Operating at 10.525 GHz, it has a resolution of 15 cm. Also, the sensor electronics are designed to only output a measurement when the environment is moving toward the sensor, and only above an unspecified threshold sped. Finally, sensor readings are updated at a rate proportional to the approach speed. These characteristics did not bode well for its performance, but the sensor was selected anyway since no alternatives were found.

#### 2.1.4 Inductive and Capacitive

While many companies make inductive and capacitive sensors, most are designed to be switches for very short range (< 1 cm) assembly-line part presence detection. Amongst inductive sensors, slightly longer range models exist and are listed in Figure 1. The most sensitive of these is the Radio Shack Micronta, which is actually designed for buried metal detection. However, because of its larger coil size it has a range twice that of the nearest industrial model.

Amongst capacitive sensors, the same lack of long range sensors prevails. While primarily selling standard short range sensors, Capacitee was found to sell long range sensors by special order. As a compromise between size and range, we selected a capacitance sensor diameter of three inches, on a six inchreflector. The electronics which accompany the sensor were tuned at the factory for a maximum sensing range of six inches. Unfortunately, the special order creation of the capacitance sensor is relatively expensive (\$800). Use of Capacitee sensor electronics, with homemade capacitor plate sensors, is a possible cost-saving alternative for the future.

#### 2.2 Mature Non-Commercial Sensors

There are several sensors developed in non-industrial research labs which need to be mentioned. We will review four sensors which fall in the categories of laser triangulation and capacitance sensing. Two of these sensors have been tested and the results are presented later.

#### 2.2.1 Laser Triangulation

Two experimental laser triangulation sensors promise extended range and less sensitivity to environmental surface properties. The first has been develop for use in the RO-TEX flight experiment [2]. Integrated into the end-effector of this experimental robot, are several shortrange proximity sensors and one long range (3-50 cm) laser triangulation range sensor. We attempted to obtain a version of this sensor for testing, but were informed that no spares existed. Later discussions revealed the possibility of a forth coming commercial version of the sensor.

The second triangulation sensor is called the Hexeye, being developed at USC in conjunction with JPL [5]. This sensor Projects one beam which is viewed by an array of six linear photosensors with 12 pixels each. The output signals are averaged and passed through a neural net trained on specific environmental surface types. The training eliminates errors due to the peculiarities of the surface, the sensor components, and ambient environmental lighting. Some experimental results with a prototype of this sensor are provided in Section 3.2.

#### 2.2.2 Capacitance

Two capacitance sensing methods are being studied at NASA Goddard Space Flight Center (GSFC) and Sandia National Laboratory [11, 8]. The GSFC sensor is similar in design 10 that sold by Capacitee. In Section 3.4, an experimental comparison will be made between these two sensors.

The Sandia capacitance sensor utilizes side by side capacitance plates, one of which is driven, and the other connected to a charge amplifier. The presence of an environment modifies the total capacitance of the system, and therefore the charge andresultant signal. One of the slated advantages of this design is that it eliminates the need for a driven shield behind the sensing capacitor, as is used in the GSFC and Capacitee designs. We were unable to obtain a sample sensor from Sandia for testing in our lab. Researchers at Sandia are in the process of commercializing their design, so testing of it may be possible in the near future.

### 3 Experimental 1 Data

'1'0 evaluate the selected sensors, initial tests were performed with simple environments and variation in the normal distance of the sensor from the surface. For the optical sensors, black and white paper (8.5 by 11 inches) were used as the environmental surface. For the capacitive and inductive sensors, a six inch square aluminum plate was used. For the microwave sensor, both types of environments were tried.

### 3.1 Infrared Intensity of Reflection

The five different SunX sensors listed in Table2 were tested using black and while paper. The sensors are designed to have different distance sensitivity, selectable by adjustment of a potentiometeron each unit. While not as important to these tests, the sensors also have variable beam widths. For instance, the RS120HF1 has a narrower beam than the 1\s120111. (The SunX catalog should be consulted for a comprehensive description of beam geometries.)

Figures 3 4 show the measured outputs of these sensors set at maximum range. All five have a good response for the white environment, utilizing most of the maximum voltage range and responding fairly linearly in the span of their respective operating distances. However, for the black surface, the results are very degraded. Not only are the responses less intense, but they are not linear with respect 10 distance, the worst example being the 720111 in Figure 4. This degradation of the response from intensity of reflections ensors for non-white surfaces is well known. Unless the environment is guaranteed to be nonspecular and light colored, reliance on the sensed distance values is not advisable. However, these sensors may effectively be used as simple noncontact switches, instead of fall range proximity measurement devices.

In this latter case, simple emitter/receiver diode pairs may be considered [7]. They are more compact and cheaper than the above tested sensors. However, their output is not line ar, and they can be susceptible to confusion from ambientlight sources (unless they are modulated).

#### 3.2 Triangulation

Two different types of triangulationing sensors were tested: infrared diode (Idec/IzumiSA1D) and visible laser (AromatLA40). Both project a beam of light outward and look for the surface reflection with a position sensing device (PSD) located to the side of the light source. Figure 5 shows the response of these sensors 011 black and white paper environments. Unlike the intensity of reflection sensors, the triangulation sensors provide consistent readings independent of surface reflectance, over a limited range.

For robot collision avoidance and distance servoing, the SA1D is the better sensor of the two. First, it has a range about four times greater than the LA40. Second, it dots not employ laser light which may require eye protection. Third, it is about one fifth the price. Fourth, it may be used directly with conventional power supplies. Fifth, the LA40 has spurious peaks inside of its sensing range and




Figure 3: Data for short range infrared light intensity of reflection on black and white tests u rfaces.




Figure 4: Data for longer range infrared light intensity of reflection on black and white tests a rfaces.

drops down to its minimum value reading for far positions. The only possible advantage of the LA40 laser sensor is its visible, small diameter beam.

As indicated in Figure 1, laser triangulations ensors tend to be designed for a shorter sensing range with very high resolution. Longer ranges typically require lasers that are not eye-safe, and therefore undesirable for our purposes. This is because the target market of circuit board inspection typically requires short range and high resolution sensing. General purpose robot collision avoidance, however, requires greater range sensing.

Another experimental laser triangulation sensor is the USC/JPL Hexeye [5]. It utilizes six linear sensors to detect the position of the projected laser illumination. The averaged sensor element readings are further processed by a neural network trained to eliminate range errors caused by the unique reflection patterns of specific materials. Figure G snows the response of the sensor system for white and black spacecraft materials (Beta Cloth and Black Kapton) for which it was trained. Figure 7 shows the sensor response




Figure 5: Data for triangulation sensors on black and white test surfaces. The Idec/Izumi SA1D uses an infrared beam, and the Aromat LA40 uses a visible laser.




Figure 6: Data from the Hexeye sensor on black and white space craft materials for which its neural net has been trained.

to several materials for which it was nottrained. Significant amongst these is the aluminized Kapton, which has a nearmirror surface. While the measured values are inaccurate, it is impressive that the sensor is not completely confused by this reflective surface. Currently, this sensor system suffers from limited range and large size, but the next version promises improvement in these areas.

### 3.3 Time of Flight

Two types of time of flight sensors were tested: laser and microwave. Interestingly, these sensors provided the best and worst results of those tested.

The microwave sensor (AM Sensor MSM10500) results were so poor that they are not presented. '1'0 be fair, the sensor is designed to determine range to a large environment, moving toward it, It has a maximum range of 50 feet, and a resolution of six inches. These values are probably too large for conventional sized manipulator arms. (The




Figure 7: Data from the Hexeye sensor cm materials for which its neural net had not been trained.

manufacturer, AM Sensors, has tentative plans to cicvc10]i a model with a one inch resolution.) However, the greater p roblem with this sensor is that it requires motion between it and the environment for a distance to be measured. Also, the rate of sensor data output is proportional to the speed of approach. If the relative speed drops below the threshold, no sensed distance is available. For this reason, static measurements with the sensor were impossing. We attempted to obtain measurements while moving the sensor, but were unsuccessful in initial trials. 1 lowever, even if the sensor worked perfectly while in motion, it would prove to be of little utility for robot collision avoidance. As obstacles approach, the robot should be slowed. But with this sensor, slowing the robot would cause the proximity readings (o slow or stop. This situation would be extremely dangerous at best. Therefore, the microwave sensor has been removed from farther consideration.

The second time of flight sensor (Sick DME2000) was the most accurate and precise proximity sensor tested. Because of this accuracy, a plot of the sensor measurement versus true distance appears as a straight line. Figure 8 instead shows the error of the distance measurement signal from its mean, versus the true distance from an arbitrary reference point. The true distance was established with a very precise coordinate measuring machine, capable of measuring micron increments in its change of position. Also, the manufacturer specified percentage errors are shown as negative and positive sloped clashed lines, for reference. Obviously, this sensor performs quite well, and is expected to perform equally wellover its full operational range of 100-2000 mm. If a retroreflective environment is used, the sensor can work out to 100 meters.

#### 3.4 Capacitance

Two different capacitive sensors were tested: the GSFC Capaciflector [1-1], and the Capacitec HPS3000/6000MCX capacitive sensor with a model 410-SC-BNC amplifier.

The GSFC Capacificctor was tested with six inch square aluminum plate environment, grounded and ungrounded.




Figure 8: Error for visible laser time of flight sensing on a white surface. (Model: Sick DME2000)

For these tests, the Capaciflector utilized the typical GSFC configuration of a 4 by 0.5 inch sensor on a 3.5 by 4.75 inch reflector [1-1]. Since the response of the Capaciflector drops very rapidly with distance, GSFC recommends using the logarithm of the sensoroutput, shifted to all positive values by a constant bias value [3]. Figure 9 shows the sensor output plot on a log-log plot to better reveal the sensor value changes. Notice that even in this representation of the sensoroutput, the values increase more rapidly for close proximity. This can be seen as an advantage of this sensing method when used with robotics, since higher resolution sensing is provided for very close proximity operations [10].

The second capacitance sensor tested was a very similar product from Capacitec. To provide range sensing comparable to the GSFC sensor, we selected the capacitive sensing area to be a three inch disk, shielded by a six inch disk behind it. The Capacitec electronics are different also, since they invertand linearize the output signal. (Therefore, the output voltage is proportional to the reactance, not the capacitance.) Figure 10 shows the output of this sensor for the grounded and ungrounded aluminum plate environment. Since the sensor was calibrated at the factory for a six inch range, we believe that further adjustment could pull the response curve down, out of saturation, and yield sensitivity to greated distances.

To draw a more legitimate comparison of the GSFC and Capacitee sensors, we attached the GSFC electronics to the Capacitee sensing capacitor and shield. Figure 11 shows the output of the sensor for the grounded and ungrounded aluminum plate plotted on a log-log graph for comparison with Figure 9. The curves have a similar shape, but the range has been extended by the larger Capacitee capacitor surface.

Finally, 10 compare the Capacificator output with the Capacite output, Figure 12 shows the normalized inverse  $(\min[x]/x)$  of the data from Figure 1]. Not only does this compare favorably with the original Capacite data in Figure 10, but it appears to be a valuable way to generally represent the output from a capacitance sensor. While it




Figure 9: Data from Figure 9, shifted by 15 V and plotted logarithmically.




Figure 10: Dat a from the Capacitec sensor and processing electronics. The voltage values are proportional to the measured react ante.

diminishes the response at close range, the overall response is fairly linear with distance, and much more like an ideal proximity sensor.

#### 3.5 Inductance

Most inductive proximity sensors sold commercially have very short range and are designed as near contact switches. However, metal detectors, commonly sold in hobby shops, work on the same principle to detect metallic obstacles buried many inches beneath a surface. Therefore, we selected and modified a commercially available metal detector to act as an inductive proximity detector.

The device selected is the Micronta Discovery 2 metal detector by Radio Shack. It has two concentric coils, with average diameters of nine and five inches. The inner one is driven and the outer is a receiver. For our tests, we bypassed the electronics provided, and supplied a driving signal at 6756.76 Hz, 11 V peak to peak. Figure 13 shows the peak




Figure 11: Data from the Capacitec sensor with GSFC processing electronics, replotted with log-log scaling for comparison with Figure 9.




Figure 12: Dat a from the Capacitec sensor with GSFC processing electronics replotted as a normalized in verse of the original data.

voltage of the received signal as a function of the distance from the aluminum plate environment. The results were the same when the plate was grounded and ungrounded. While this sensor requires a large area, it works fairly well: the logarithm of the response is linear with distance, and it is capable of sensing to a range equal to its size. The main drawbacks are: it is completely blind to nonconductors, and the signality generates may acid noise to other sensor signals. Its large size is offset by the fact that it is flat and annular, so that it could effectively surround the end effector of a robot arm.

### 4 Conclusions

This report has detailed the selection of proximity sensors for manipulator collision avoid ance during space applications. The sensors have been chosen from amongst the spectrum of commercial products and mature laboratory




Figure 13: Data from the Micronta inductive sensor for aluminum environment.

prototypes. Five distinct categories of sensing technology are represented: intensity of reflection, tria ngulation, time of flight, capacitance, and inductance. We have selected and performed in itial experimental testing on several sensors of each type.

Based on the experimental data, three sensors stand out a smost viable: the Idec/Izumi SA1D triangulation sensor, the Sick DME2000 laser time of flight sensor, and the Capacitee and GSFC capacitance sensor. While the DME2000 laser time of flight sensor is obviously the best performer, its cost and size make it prohibitive except for specialized applications. For instance, the cost and size would not be as large at rissue if this sensor were to be used as an endeffector ranging device out the Space Shuttle Remote Manipulator System (RMS). However, for most applications, the smaller size and cost of the SA1D triangulation sensor make it more favorable. Within its operating range, it's accuracy is finer than the position control capabilities of most robot arms.

While the laser time of flight and triangulation sensors are adept at measuring distance to a point, they are much less useful for area coverage. Alternatively, the capacitance sensors promise complete area coverage if they are fashioned like a skin over the robot arm. While suffering in absolute accuracy, they can more reliably detect the presence of most obstacles. They can also be more easily incorporated into working surfaces, such as grippers. In these ways, capacitance sensing is a valuable complement to the more exact proximity measuring sensors.

## 5 Acknowledgments

The author would like to thank Bob lyley for his help in experimentally evaluating the sensors. The research described in this paper was carried out by the Jet Propulsion Laboratory, California Institute of Technology, under a contract with the National Aeronautics and Space Administration. Reference herein to any specific commercial product, process, or service by trade name, trade mark, manufacturer, or

otherwise, does not constitute 01 imply its endorsement by the United States Government or the Jet Propulsion Laboratory, California Institute of Technology.

### References

- [1] J. R. And rews and N. Hogan. Impledance control as a framework for implementing obstacle avoid ance in a manipulator. In David E. Hardt axid Wayne J. Book, editors, Control Of Manufacturing Processes And Robotic Systems, pages 243-251. ASME, 1983.
- [2] B. Brunner, G. Hirzinger, K. Landzettel, and J. Heindl. Multi-sensoryShared Autonomy and Tele-Sensor-Programming. Key Issues in the Space Robot Technology Experiment ROTEX. In IEEE/RSJInternational Conference on Intelligent Robots and Systems (IROS), Yokohama, Japan, July 26-30 1993.
- [3] E. Cheung and S. Leak[, Recent Developments at the Goddard Engineering Test Bed. SPIE Cooperative Intelligent Robotics in Space III, 1829, 1992.
- [4] O. Khatib. Real-Time Obstacle Avoidance for Manipulators and Mobile Robots. The International Journal of Robotics Research, 5(1), 1986.
- [5] S. Lee, Design and Implementation of a Distributed Optical Proximity Sensor. In *IEEE International Conference on In*telligent Robots and Systems (IROS), Raleigh, North Carolina, July 1992.
- [6] T. Lozano-Perez. Spatial planning: A configuration space approach. IEEE Transactions on Computers, C-32(2):102- ] 20, 1983.
- [7] V. Lum elsky. Real-Time Collision Avoid ance in Teleoperated Whole-Sensitive Robot Arm Manipulators. *IEEE Transactions* 011 Systems, Man, and Cybernetics, 23(1), 1993
- [8] J. Novak and J. Feddema A Capacitance-Based Proximity Sensor for Whole Arm Obstacle Avoidance. In IEEE International Conference on (Robotics and Automation, Nice. France, May 12-14 1992.
- [9] RVolpe and T. Khosla Manipulator Control with Superquadric Artificial PotentialFunctions: Theory and Experiments. IEEE Transactions on Systems, Man, and Cybernetics; Special Is suc on Unmanned Vehicles and Intelligent Systems, November/December 1990
- [10] J. Vranish. A Smart Docking/Berthing Mechanism In Fourth International Symposium on Robotics and Manufacturing (IS-RAM), Sante Fe, New Mexico, November 11-131992.
- [11] J. Vranish, 1 { McConnell, and S. Mahalingam Cap aciflector Collision Avoidance Sensors for Robots International Journal of Computer and Electrical Engineering, 1 7(3),1991